HARVIA HRKGS

HRKG150400S

The Harvia Club Combi is a combination of an electric heater and a steamer that offers a variety of sauna experiences, such as a traditional sauna, a steam sauna, a herbal sauna or a fragrance sauna. The super-efficient Club Combi combination heater is designed to have enough steam for a large group of users, from morning till night. The stylish, floor-mounted Club Combi electric heater made of stainless steel represents the world-famous quality of Harvia. When you wish to experience or provide your customers with true Sauna & Spa experiences, familiarise yourself with the super-efficient Club Combi models. Club Combi heaters are controlled by a control unit.



C € EAL

Features

Main material : Steel Net weight (kg) : 24.4

 $H \times W \times D$: 700.0 x 505.0 x 490.0 mm Installation type: Floor

| ID | GTIN | Output (kW) | Sauna room size min - max m3 |
|-------------|---------------|-------------|------------------------------|
| HRKG150400S | 6410082662159 | 13.2 kW | 14.0-24.0 |

Related products



SFE-500500

www.harvia.com print date : 14.10.2021

Spare parts


| Product | ID | Pcs |
|---|---------|-----|
| Heating element 2500W/230V, F | ZSP-250 | 6 |
| Overheating limiter switch 55.13529.100 | ZSK-764 | 1 |
| Thermostat 13322.090 110 Steam | ZSN-250 | 1 |
| Solenoid valve | ZSS-610 | 1 |
| Tap R 1/4 | ZH-130 | 1 |
| Contactor K2 Forte | ZSF-730 | 1 |
| Emptying valve for steamer | ZH-110 | 1 |


Technical details


| Technical data | Type / attribute | HRKG150400S |
|------------------------------------|--|-----------------|
| | Color | Stainless Steel |
| | Power output | 13.2 kW |
| | Stone sizes | 5-10 cm |
| | Stone amount (kg) | 60 |
| Dimensions | Product width (mm) | 505 |
| | Product height (mm) | 700 |
| | Product depth (mm) | 490 |
| | Net weight (kg) | 24.4 |
| | Gross weight | 26.5 |
| | Package width | 520 |
| | Package height | 735 |
| | Package depth | 510 |
| Safety and installation dimensions | Safety distance front (non-combustible materials) | 50 |
| | Safety distance side (non-combustible materials) | 50 |
| | Safety distance behind (non-combustible materials) | 100 |
| | Safety distance (Ceiling) (depends on connections and therefore from output, star/delta) | 1400 |
| | Room min. height(depends on connections and therefore from output, star/delta) | 2100 |


www.harvia.com print date : 14.10.2021


Technical images











www.harvia.com print date : 14.10.2021